MATCH DAY HEAD INJURY ASSESSMENT & REFERRAL FORM | AGES 12 & UNDER



SIDELINE FORM (to be completed by the examiner (first aider/trainer) on the day of the suspected concussion)

PLAYER NAME		CLUB				
DETAILS OF INCIDENT						
DATE						
OCCURRED AT: 🗆 MATCH	🗆 TRAINING	🗆 OTHER				
BRIEF DESCRIPTION						
IDENTIFICATION OF RED FLAGS (tick all those that apply)		FEATURES OF A SUSPECTED CONCUSSION (tick all those that apply)				
Loss of consciousness		Loss of responsiveness				
Seizure or convulsions		Motor incoordination (losing balance, staggering, etc)				
Deterioration of conscious state		Confused/disorientation (not aware of plays or events)				
Persistent or increasing vomiting		Impaired memory (unable to recall events				
Double vision		before or after the injury)				
Severe or increasing headache		Looking/feeling dazed, blank or vacant				
Increasing restlessness, agitation,	_	Player reporting symptoms:				
or combative behaviour		a. 'don't feel right'				
Neck pain		b. more emotional than usual - sad, nervous or anxious				
Weakness or tingling/burning in the arms or legs		c. 'feel slowed down', confused or 'feel like in a fog'				
_		d. Sensitivity to light or noise				
ACTION: If any one of the boxes above is ticked, an ambulance should be called for immediate		The player is not their normal self, or there is any other concern that they are not quite right				
transportation to hospital.	Illeulare	Other (please list):	_			
· · ·]					
		APTION: for any automated appaulation, the player poods to				
	ACTION: for any suspected concussion, the player needs to see a doctor as soon as practical for assessment, including					
		confirmation of the diagnosis. The player must not return to pl or full contact training until they have been cleared by a docto				

EXAMINER NAME	ROLE AT CLUB
EXAMINER SIGNATURE	DATE

MATCH DAY HEAD INJURY Child Report | Ages 12 & Under



PLAYER FORM (to be completed on the day of the suspected concussion)

PLAYER NAME CLUB AGE How many concussions has your child had in the past? When was the most recent concussion? When was the most recent concussion? How long was the recovery (time to being cleared to play) for the most recent concussion?

Ask the child to rate their symptoms based on how they are feeling now, with "1" representing the symptom is "a little" and "3" representing that the symptom is "a lot"

		.L/NEVER		A LITTLE/	MANLLI		JOMEN	HAT/SOM	LIMLO		A LOT/OFTEN
	0			1	1			2			3
ave headaches											
eel dizzy											
eel like the room is spinning											
eel like I'm going to faint											
ings are blurry when I look at them											
ee double											
eel sick to my stomach											
et tired a lot											
et tired easily											
ave trouble paying attention											
et distracted easily											
ave a hard time concentrating											
ave problems remembering what people tell me											
ave problems following directions											
aydream too much											
et confused											
orget things											
ave problems finishing things											
ave trouble figuring things out											
s hard for me to learn new things											
v neck hurts											
he symptoms get worse with physical activity?	YES	NO									
he symptoms get worse with trying to think?	YES	NO									
/ERALL RATING FOR CHILD TO ANSWER											
	VERY E	BAD							VE	RY GOOD	
n a scale of 0 to 100% (where 100% is normal), w would you rate the child now?	1	2	3	4	5	6	7	8	9	10	

MATCH DAY HEAD INJURY Parent or guardian report | ages 12 & under



SYMPTOM EVALUATION NOT AT ALL/NEVER SOMEWHAT/SOMETIMES A LITTLE/RARELY A LOT/OFTEN 0 2 1 3 has headaches feels dizzy has a feeling that the room is spinning feels faint has blurred vision has double vision experiences nausea gets tired a lot gets tired easily has trouble sustaining attention is distracted easily has difficulty concentrating has problems remembering what he/she is told has difficulty following directions tends to daydream gets confused is forgetful has difficulty completing tasks has poor problem-solving skills has problems learning has a sore neck

Do the symptoms get worse with physical activity?	🗆 YES	□NO
Do the symptoms get worse with trying to think?	🗆 YES	🗆 NO

OVERALL RATING FOR PARENT/TEACHER/COACH/CARER TO ANSWER

On a scale of O to 100% (where 100% is normal), how would you rate the child now?

If not 100%, in what way does the child seem different? _____